


PRODUCT CATALOG







by Honeywell





TABLE OF CONTENTS

Titanium Collection1
SWRx Collection 3
Exclusive Collection 6
Trendsetters Collection 7
Premier Collection9
Baseline Collection10
Standard Collection13
Plano Collection 16





The Uvex® Difference

Engineered specifically for industrial applications where eye hazards are present, our products are designed for fashion but built to perform to ANSI requirements.

Superior service plays a main role at Uvex Rx. We believe it is important to treat everyone the way we would like to be treated...it's that simple.

Quality is a way of life at Uvex Rx. We are strict adherents to the ANSI Z87.1 Standard because this standard is the most stringent requirement. We test and re-test every product on a regular basis.

An important component of all safety eyewear programs is prescription safety eyewear. If you have employees who require safety glasses outfitted with an individual prescription in them, Uvex Rx is your best resource to finding an optimal solution.

Uvex Rx works hand-in-hand with hundreds of safety optical laboratories in the Americas that can support your needs in building an efficient, cost effective and convenient safety prescription (Rx) eyewear program for your employees. *Here's how:*

- Assess Your Requirements
- Assist in the Choice of a Supplier Lab
- Provide Training Materials
- Support You with Seasoned Sales Professionals and Customer Care Personnel

RECENTLY DISCONTINUED ITEMS

EXT7	All sizes and colors
EX259	All sizes and colors
EX278S	All sizes and colors, CS27
EX279S	All sizes and colors, CS28
FC702	All sizes and colors



Frames displaying this logo contain no metal parts and can be worn in environments where accidental exposure to electrical charge is possible.

Titanium Collection

The Titanium Collection is made of the very best materials for strength, durability and lightweight comfort.

TITMUS EXT2

- Sizes: 56.16.145; 58.16.150
- Colors: TOR Tortoise, ANP Antique Pewter, BRN Brown
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Made in Japan
- Side shield: CS83
- Standards: ANSI Z87.1-2010



TITMUS EXT4

- Sizes: 47.20.135; 50.20.135; 52.20.140
- Colors: TOR Tortoise, ANP Antique Pewter, ANB Antique Brown
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Made in Japan
- Side shield: T-LOC® only, gray shield available, CS96/CS96S
- Standards: ANSI Z87.1-2010, EN166



TITMUS EXT5

- Sizes: 48.20.140; 51.20.145
- Colors: BRN Light Brown/Tortoise, BRZ Satin Bronze, GRA Light Gray/Tortoise
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Made in Japan
- Side shield: T-LOC® only, CS95
- Standards: ANSI Z87.1-2010



TITMUS EXT6

- Sizes: 49.19.140; 51.19.145
- Colors: GLD Goldtone, GRA Gray, BRN Brown
- Features: 100% Titanium, spring hinge, nickel-free plating
- No replacement temples
- Made in Japan
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010





TITMUS EXT8

- Sizes: 49.19.140; 51.19.145
- Colors: BRN Brown, STL Steel, BUR Burgundy
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



TITMUS EXT9

- Sizes: 49.20.140; 51.20.145
- Colors: DBR Dark Brown Matte, DGY Dark Gray Matte
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Made in Japan
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010



TITMUS EXT10

- Sizes: 53.18.140; 55.18.145
- Colors: DBR Dark Brown Matte, DGM Dark Gunmetal
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010, EN166



TITMUS EXT11

- Sizes: 50.19.140; 52.19.145
- Colors: BRN Brown, GLD Gold and GML Gunmetal
- Features: Titanium 100, light, corrosion-resistant, OBE double-action spring hinge, N-Tite® system
- No replacement temples
- Made in China
- Side shield: T-LOC® only, patented flex shield, CS11
- Standards: ANSI Z87.1-2010



TITMUS EXT12

- Sizes: 49.19.135, 51.19.140
- Colors: BRN Brown, GLD Gold and WIN Wine
- Features: Titanium 100, light, corrosion-resistant, OBE double-action spring hinge, N-Tite® system
- No replacement temples
- Made in China
- Side shield: T-LOC® only, patented flex shield, CS12
- Standards: ANSI Z87.1-2010



TITMUS EXT13

- Sizes: 51.18.140 ("H" small fit)
- Colors: TPE Taupe, BLK Satin Black and SGL Satin Gold
- Features: Memory metal technology, Metal 3-barrel hinge and N-Tite® System
- No replacement temples
- Made in China
- Side shield: Detachable, T-Loc® only, CS13
- Standards: ANSI Z87.1-2010



TITMUS EXT14

- Sizes: 51.18.140; 53.18.145
- Colors: BRN Brown, BLK Black
- Features: Monobloc Metal 3 barrel hinge, Memory metal technology and N-Tite® System
- No replacement temples
- Made in China
- Side shield: Detachable, T-Loc® only, CS14
- Standards: ANSI Z87.1-2010



TITMUS EXTS1

- Sizes: 48.21.140; 50.21.145
- Colors: LBR Light Brown Matte, LGR Light Gray Matte
- Features: Titanium, spring hinge, nickel-free plating, N-Tite® system
- No replacement temples
- Made in China
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS EXTS2

- Sizes: 48.21.140; 50.21.145
- Colors: LBR Light Brown Matte, DKB Dark Brown Matte
- Features: Titanium, spring hinge, nickel-free plating, N-Tite® system
- No replacement temples
- Made in China
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



SWRx Collection

The SWRx Collection features aggressive designs and superior coverage. This group of safety frames has set a new standard for prescription safety eyewear.

TITMUS SW02

- Sizes: 54.17.130; 56.17.135
- Colors: BLV Blue Venom, GTW Gray Tumbleweed, ADB Adobe Brown
- Features: Stainless steel, spring hinge, 15° face-form wrap
- No replacement temples
- Made in China
- Side shield: T-LOC® only, gray shield available, CSO2/CSO2S
- Standards: ANSI Z87.1-2010, EN166





TITMUS SW03

- Sizes: 54.15.135; 56.15.140; 58.15.145
- Colors: BLV Blue Venom, DSD Desert Sand, KCH Knife Chrome
- Features: Stainless steel, spring hinge, nickel-free plating, 15° face-form wrap
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CSO3/CSO3S
- Standards: ANSI Z87.1-2010



TITMUS SW04

- Sizes: 50.20.130; 53.20.135;
- Colors: BLU Blue, BRN Brown, GML Gunmetal, WIN Wine
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Made in Korea
- Side shields: Top/Side Shield, Clear/Smoke available, CS04/CS04S
- Standards: ANSI Z87.1-2010



TITMUS SW06

- Size: 57.16.125
- Colors: BRN Brown/Orange Accents, BLK Black/Yellow Accents, CLR Clear Body/Black/Yellow Accents
- Features: Trogamid nylon, no metal content, removable/replaceable dust dam, adjustable nose pads, superior coverage, 17° face-form wrap, integral shield design
- No replacement temples
- Made in Taiwan
- Standards: ANSI Z87.1-2010



TITMUS SW06E

- Sizes: 57.16.125
- Colors: BRN Brown/Yellow accents, BLK Black/ Orange accents, ROS Rose/Pink accents
- Features: Trogamid nylon, no metal content, removable/replaceable dust dam, adjustable nose pads, superior coverage, 17° face-form wrap, integral extended shield design
- No replacement temples
- Made in Taiwan
- Standards: ANSI Z87.1-2010, EN166

70E UVEX NATION TRANSI

TITMUS SW07

- Sizes: 60.13.127
- Colors: BLU Blue, BRN Brown, GML Gunmetal
- Features: Injection molded nylon, no metal content, removable foam insert, adjustable strap, 17° face-form wrap, integral extended shield design
- No replacement temples
- Made in Taiwan
- Side shield: Integral design
- Standards: ANSI Z87.1-2010, EN166

Available in three ordering options:

- Type 1: Frame comes complete and assembled with attached temples, foam insert, medium nosepads. Ships with
 optional small and large replacement nosepads and expandable strap/headband.
- Type 2: Frame comes complete and assembled with attached temples, foam insert and medium nosepads. Ships with small and large replacement nosepads.
- Type 3: Frame comes complete and assembled with attached temples and medium nosepads. Ships with small and large replacement nosepads.



Foam insert

TITMUS SW08

- Sizes: 53.17.110, 56.17.115
- Colors: BLK Black, BRN Brown, TOR Tortoise
- Features: Hand made acetate, wrapped endpieces
- No replacement temples
- Made in China
- Side shield: None Temple coverage meets requirements
- Standards: ANSI Z87.1-2010



TITMUS SWO9R LIVEWIRE SEALED EYEWEAR

- Sizes: 6 Base-56.21.127, 8 Base-59.21.127
- Colors: BLK Black, BLU Blue, RED Red
- Features: No metal content, removable foam insert, ratcheting temples, interchangeable temples and headband.
- No replacement temples
- · Made in China
- Side Shield: Integral Design
- Standards: ANSI Z87.1-2010 and CSA Z94.3
- Anti-fog lens coating recommended with this frame style.



TITMUS SW10 HYPERSHOCK

- Sizes: 6 Base-53.22.125, 8 Base-56.22.125
- Colors: BLK Black, CLR Clear, WHT White, TOR Tortoise, CAMO Camo, BRN Brown
- Features: No metal content, close fitting design, wrapped end pieces
- No replacement temples
- Made in Taiwan
- Side Shield: Integral Design
- Standards: ANSI Z87.1-2010
- Anti-fog lens coating recommended with this frame style.





TITMUS SW12

- Sizes: 8 Base-64.17.127
- Colors: BLK Black accents, GRY/ORG Gray/Orange accents, BLK/PUR Black/Purple accents, PUR/LAV Purple/Lavender accents, BLK/GRN Black/Green accents
- Features: No metal content, close fitting design, removable foam insert
- No replacement temples
- Made in Taiwan
- Side Shield: Integral Design
- Standards: ANSI Z87.1-2010
- Anti-fog lens coating recommended with this frame style.





Foam insert



Exclusive Collection

In the Exclusive Collection, you'll find the styles you'd expect to see in the world of retail dress eyewear.

TITMUS HP01

- Sizes: 51.18.135; 53.18.140
- Colors: BRN Brown, GMT Patina
- Features: Stainless steel; spring hinge, Patent-Pending "High-Performance Lens Retention System"
- No replacement temples
- Made in Korea
- Side Shield: T-LOC® only, new patented flex shield, CS30
- Standards: ANSI Z87.1-2010



TITMUS HP02

- Sizes: 51.19.135, 53.19.140
- Colors: BLK Black, BRN Brown
- Features: Stainless steel; spring hinge, Patent-Pending "High-Performance Lens Retention System"
- No replacement temples
- Made in Korea
- Side Shield: T-LOC® only, new patented flex shield, CS32
- Standards: ANSI Z87.1-2010



TITMUS EX275S

- Sizes: 50.18.135; 52.20.140
- Colors: BLU Blue, BRN Brown, PEW Pewter
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



TITMUS EX281S

- Sizes: 53.17.133 "H" (Small fit) and 56.17.138 "H" (Small fit)
- Colors: BLK Black (available only with 53mm eyesize), BRN Brown and TOR Tortoise
- Features: Stainless steel split temple construction, handmade acetate matching temple tips and saddle fit bridge design, Metal 3-barrel hinge
- No replacement temples
- Made in China
- Side shield: Detachable, T-Loc® only, CS29
- Standards: ANSI Z87.1-2010



Trendsetters Collection

The Trendsetters Collection represents a group of popular frames styles that are built to last.

TITMUS TR301S

- Sizes: 48.19.140; 50.19.145; 52.19.145
- Colors: GRA Gray, BRN Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



TITMUS TR302S

- Sizes: 49.21.140; 51.21.145
- Colors: GRA Gray, BRN Brown, BUR Burgundy
- Features: Stainless steel, spring hinge
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, CS66
- Standards: ANSI Z87.1-2010



TITMUS TR303S

- Sizes: 48.21.140; 50.21.145
- Colors: GRA Gray, BRN Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS TR304S

- Sizes: 49.20.140; 51.20.145
- · Colors: ROS Rose, GRA Gray, ANB Antique Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS TR306S

- Sizes: 51.19.140; 53.19.145
- Colors: DBR Dark Brown Matte, DBL Dark Blue Matte
- Features: Stainless steel, spring hinge, sunglass clip-on available
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010





TITMUS TR307S

- Sizes: 53.21.140; 56.21.145
- Colors: CHR Dark Chrome, WAL Walnut
- Features: Stainless steel, spring hinge, extra large fit
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



TITMUS TR308S

- Sizes: 51.17.135; 53.17.140
- Colors: BRN Brown, CBT Cobalt, CPR Copper
- Features: Stainless steel, spring hinge,
- No replacement temples
- Made in China
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



TITMUS TR309S

- Sizes: 46.19.135; 48.19.135; 50.19.140
- Colors: BRN Brown, GRA Gray, VIO Violet
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS TR310S

- Sizes: 47.19.135; 49.19.135; 51.19.140
- Colors: GRA Gray, GRN Green, VIO Violet
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



TITMUS TR311S

- Sizes: 56.14.135; 58.15.135; 60.16.140
- Colors: BRN Brown, GLD Gold and PEW Pewter
- Features: Stainless steel, corrosion-resistant,
 OBE double-action spring hinge, N-Tite® system
- No replacement temples
- Made in Korea
- Side shield: Patented flex shield design, CS31
- Standards: ANSI Z87.1-2010, EN166

TITMUS TR312S

- Sizes: 51.18.135 "H" (small fit) and 53.18.140
- Colors: VIO Violet, BRN Brown, GML Gunmetal
- Features: Stainless steel construction, double action spring hinges, adjustable universal fit bridge type and patented "flex" shield design, German made OBE 5 - Barrel Double Action Cam, N-Tite® system
- No replacement temples
- Made in China
- Side shield: CS11
- Standards: ANSI Z87.1-2010





Premier Collection

If you're looking for a great value, this is the place to start. This collection has products that provide some of the best size ranges available on the market.

TITMUS PC250A or PC250SWA

- Sizes: 54.16.140; 56.16/18.145; 58.18.145
- Colors: GLD Goldtone, PEW Pewter, TOR Tortoise, BRN Brown
- Features: Spring hinge, molded uni-fit bridge (PC250SWA)
- Note: PC250SWA not available in Goldtone
- Made in Korea
- Side shield: Gray shield available, CS82/CS82S
- Standards: ANSI Z87.1-2010, EN166



TITMUS PC261

- Sizes: 56.16.140; 59.16.145
- Colors: TOR Tortoise, BRN Brown, DGR Demi Gray
- Features: Spring hinge
- Made in China
- Side shield: Gray shield available, CS82/CS82S
- Standards: ANSI Z87.1-2010



TITMUS PC264

- Sizes: 50.20.140; 52.20.145
- Colors: GML Gunmetal, ANG Antique Goldtone, ANB Antique Brown
- Features: Spring hinge
- Made in Korea
- Side shield: Gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



TITMUS PC266A

- 50.16.140; 52.16.145
- Colors: TBL Tortoise/Blue, BKT Black/Tortoise
- Made in China
- \bullet Side shield: T-LOC $^{\circ}$ only, CS68
- Standards: ANSI Z87.1-2010



TITMUS PC267

- Sizes: 49.20.140; 51.20.145
- Colors: GRA Gray, ANB Antique Brown
- Features: Spring hinge
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010





TITMUS PC268

- Sizes: 53.20.140; 55.20.145
- Colors: ANB Antique brown, CHR Chrome
- Features: Spring hinge
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010, EN166



TITMUS PC269

- Sizes: 49.16.125; 52.16.130
- Colors: GRA Gray, BLK Black, BRN Brown
- Features: Spring hinge, 135mm temples available
- Made in China
- \bullet Side shield: T-LOC $^{\circ}$ only, CS69
- Standards: ANSI Z87.1-2003



TITMUS PC280

- Sizes: 49.18.135; 52.18.140
- Colors: BLU Blue, BRN Brown, ROS Rose
- Features: Spring hinge
- Made in Korea
- Side shield: T-LOC® only, CS62
- Standards: ANSI Z87.1-2010



Baseline Collection

The Baseline Collection is our most versatile collection, with 14 styles to meet all your Rx Safety eyewear needs.

TITMUS FC601A

- Sizes: 54.16.140; 57.16.145; 60.16.145
- Colors: GLD Goldtone, PEW Pewter
- Made in Korea
- Side shield: Gray shield available, CS82/CS82S
- Standards: ANSI Z87.1-2010, EN166



TITMUS FC703

- Sizes: 52.20.140; 54.20.145
- Colors: GLD Gold, GML Gunmetal
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



TITMUS FC704

• Sizes: 49.18.140; 51.18.145 Colors: BRN Brown, GRA Gray

 Made in China • Side shield: CS94

• Standards: ANSI Z87.1-2010, EN166



TITMUS FC705

• Sizes: 50.19.140; 52.19.145 • Colors: BRN Brown, GRA Gray

• Made in China • Side shield: CS94

• Standards: ANSI Z87.1-2010, EN166



TITMUS FC706

• Sizes: 49.20.140; 51.20.145

• Colors: ANB Antique Brown, ASM Antique Silver Matte

• Made in Korea

• Side shield: T-LOC® only, gray shield available, CS60/CS60S

Standards: ANSI Z87.1-2010, EN166



TITMUS FC707

• Sizes: 50.21.140; 52.21.145

• Colors: ANB Antique Brown, DGM Dark Gunmetal

• Made in Korea

• Side shield: T-LOC® only, CS67

• Standards: ANSI Z87.1-2010, EN166



TITMUS FC709

• Sizes: 51.19.140; 53.19.145

• Colors: GLD Goldtone, GML Gunmetal

No replacement temples

• Made in China

• Side shield: Gray shield available, CS64/CS64S

• Standards: ANSI Z87.1-2010, EN166



TITMUS TM10A

• Sizes: 50.20.140; 52.20/22.145; 54.20/22.150

• Colors: GLD Goldtone, GML Gunmetal, SIL Silvertone

• Made in Korea

• Side shield: CS74

• Standards: ANSI Z87.1-2010





BASELINE COLLECTION

TITMUS BC101

- Sizes: 54.17.140; 56.17.145; 58.17.150
- Colors: GLD Goldtone, DMB Demi Amber, DGR Demi Gray
- Features: Spring hinge
- Made in Korea
- Side shield: CS101
- Standards: ANSI Z87.1-2010, EN166



TITMUS BC102A

- Sizes: 54.15.140; 56.15.140; 58.15.145; 60.15.145
- Colors: GLD Goldtone, DMB Demi Amber, GML Gunmetal
- Features: Spring hinge
- Made in China
- Side shield: CS101
- Standards: ANSI Z87.1-2010, EN166



TITMUS BC104A

- Sizes: 51.19.140; 53.19.145
- Colors: GLD Goldtone, GML Gunmetal
- Features: Spring hinge
- Made in China
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010, EN166



TITMUS BC109

- Sizes: 49.19.135; 51.19.140; 53.19.140
- Colors: ANG Antique Gold, DMB Demi Amber, DRD Demi Red
- Features: Spring hinge
- Made in China
- Side shield: T-LOC® only, gray shield available, CS96/CS96S
- Standards: ANSI Z87.1-2010, EN166



TITMUS BC115

- Sizes: 48.20.140; 51.20.145
- Colors: DBZ Dark Bronze, DST Dark Steel
- Features: Spring hinge
- Made in Korea
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



TITMUS BC116

- Sizes: 50.18.135 "H" (Small fit) and 53.18.140 "H"
- Colors: BRN Brown, GML Gunmetal
- Features: Monel fronts with stainless steel temples for long-lasting performance. Metal 3 barrel hinge.
- Made in Korea
- Side shield: Detachable T-Loc only, CS12
- Standards: ANSI Z87.1-2010



Standard Collection

This collection represents our most basic group of products and is designed to fit into those requirements where low price and solid value are important.

TITMUS SC900

- Sizes: 52.14.140; 54.14.145; 56.15.145
- Colors: BRN Brown, SMK Smoke, TAN Tan
- Features: Standard temple
- Made in China
- Note: Also available as stock plano
- Side shield: CS75
- Standards: ANSI Z87.1-2010, EN166



TITMUS SC901

- Sizes: 54.14.145; 56.15.145
- Colors: BRN Brown, SMK Smoke, TAN Tan
- Features: Integral shields
- Made in China
- Note: Also available as stock plano
- Standards: ANSI Z87.1-2010



TITMUS SC910

- Sizes: 52.16.140; 55.18.145
- Colors: GRA Gray and BRN Brown
- Features: Integral side shields, low metal content, propionate front with polycarbonate temples, replacement temples are same for both SC910/SC915
- Made in China
- Side shield: Integral
- Standards: ANSI Z87.1-2010



TITMUS SC915

- Sizes: 51.19.140; 54.21.145
- Colors: BRN Brown and GRA Gray
- Features: Integral side shields, low metal content, propionate front with polycarbonate temples, replacement temples are same for both SC910/SC915
- Made in China
- Side shield: Integral
- Standards: ANSI Z87.1-2010, EN166





TITMUS SP83/SP83BF WITH EYE CUP

- Sizes: SP83: 50.20.140; 52.20.145; 54.20.150/SP83BF: 52.20.145; 54.20.150
- Colors: BRN Brown, GRA Gray
- Features: 7 BBL hinge
- Made in China
- Note: SP83BF is only available with permanently attached cup sideshields (#9 clear perforated or #13 wire mesh)
- Side shield: CS77
- Standards: ANSI Z87.1-2003, EN166



TITMUS 70F

- Sizes: 48.20.140; 48.22/24.145; 50.22.150; 50.24.155
- Colors: GRA Gray, BLK Black
- Features: 5 BBL hinge
- Made in China
- Side shield: CS77
- Standards: ANSI Z87.1-2003, EN166



UVEX STEALTH®

- Size: One size
- Colors: S39630C Clear lens/Orange and Gray body S39631C Gray lens/Orange and Gray body
- Features: Designed for both chemical splash and impact, Rx insert (S3959), Uvextreme[®] anti-fog lens coating
- Made in USA
- Standards: ANSI Z87.1-2010, CSA Z94.3



UVEX ASTROSPEC RX® 3003

- Sizes: One size with Duoflex® adjustable soft "comfort cushion temples"
- · Colors: Blue, Black
- Made in USA
- Notes: Propionate Rx carrier can be tinted
- Standards: ANSI Z87.1-2010, EN166



GENESIS XC® SHOWN WITH RX CARRIER

- Sizes: One size with adjustable temples
- Colors: Black
- Notes: Available with Clear, Gray or Mirror coated lenses, sold in boxes of 10, Uvex XC Rx carrier sold individually and separately
- Made in USA
- Standards: ANSI Z87.1-2010, CSA Z94.3



SIDESHIELD/FRAME MATRIX

We strongly recommend the use of sideshields on all protective eyewear. Please allow additional time for processing permanently attached sideshield orders.

SIDESHIELDS

Clear	Gray	Sideshield Cross Reference	Item #
CS02	CS02S	SW02	17219 / 18143
CS03	CS03S	SW03	17834/18318
CS04	CS04S	SW04	18410/18576
CS11	N/A	EXT11, TR312S	18888
CS12	N/A	EXT12, BC116	18889
CS13	N/A	EXT13	19198
CS14	N/A	EXT14	19284
CS29	N/A	EX281S	19252
CS30	N/A	HP01	19418
CS31	N/A	TR311S	18887
CS32	N/A	HP02	19469
CS60	CS60S	EXT6, EXTS1, EXTS2, TR303S, TR304S, TR309S, FC706, PC267, BC115	13774 / 16243
CS62	N/A	PC280	13807
CS64	CS64S	EXT8, PC264, FC703, FC709, PC268, BC104A, TR308S, TR310S	13811 / 16289
CS65	CS65S	TR301S, TR307S, EX275S	14687/16299
CS66	N/A	TR302S	14740
CS67	N/A	TR306S, EXT9, EXT10, FC707	14776
CS68	N/A	PC266A	15627
CS69	N/A	PC269	18319
CS74	N/A	TM10A	58516
CS75	N/A	SC900	58520
CS77	N/A	70F, SP83	58528
CS82	CS82S	FC601A, PC250A / PC250SWA, PC261	76075 / 80092
CS83	N/A	EXT2	17072
CS94	N/A	FC704, FC705	13614
CS95	N/A	EXT5	13568
CS96	CS96S	EXT4, BC109 for T-LOC® System	13717 / 16789
C101	N/A	BC101, BC102A	86693

#9 CLEAR PERFORATED CUP SHIELD FRAMES

#9	N/A	SP83BF	N/A
	14//	31 0301	14//

#13 WIRE MESH CUP SHIELD FRAMES

#13	N/A	SP83BF	N/A



Plano Collection

Uvex also offers a wide selection of safety eyewear that combines function and style with unparalleled comfort and superior protection for workers not requiring vision correction. We leverage extensive research and technological developments to continuously deliver high performance products with lasting value. This section represents a collection of our top selling and newest designs. To learn more about the complete family of Uvex safety eyewear, visit www.uvex.us.



GENESIS XC®

Cushioned comfort and adjustability features with an extended wrap-around lens for extra cheek and side coverage. Available with Uvextreme® anti-fog, Ultra-dura® anti-scratch, and Dura-streme® dual anti-fog/anti-scratch lens coatings in a wide range of lens tints.

16





UVEX CARBONVISION™

Exceptional performance in a compact, lightweight, comfortable design weighing in at just over an ounce and a half. Uvex Carbonvision goggles are one of the lightest wide-vision goggles on the market, protecting workers from impact, dust/airborne particles and chemical splash.



UVEX PROTÉGÉ®

Designed with our proprietary Floating
Lens™ technology, an expandable
wraparound brow, soft temple tip pads and
molded rubber nose pads, Uvex Protégé
combines sport styling with a flexible
design for a final product that weighs
less than an ounce.

UVEX LIVEWIRE™ SEALED EYEWEAR

Fit, performance and protection required in extreme environments, protecting workers against intense wind, sun, dirt, dust and debris, as well as high heat and humidity.

Rx version available on page 5.



UVEX / / /

DISTRIBUTOR IMPRINT							



FOR MORE INFORMATION, CONTACT:

Honeywell Safety Products USA, Inc. 15801 Woods Edge Road, Colonial Heights, VA 23834 Phone: (800) 446-1802 | Fax: (800) 544-0346 www.uvexrx.com

