

2025



ONGUARD™

INDUSTRIAL SAFETY Rx EYEWEAR



ONGUARD™

INDUSTRIAL SAFETY Rx EYEWEAR

ONGUARD SAFETY EYEWEAR PROGRAM

For over two decades, OnGuard Industrial Safety Eyewear has been among the most trusted and reliable names in the industry. With a steadfast commitment to safeguarding your vision, our team is dedicated to creating eyewear that not only meets tough industry standards, but sets new benchmarks in quality, performance, and style.

We invite you to explore our 2025 catalog and discover a diverse portfolio of styles that can be curated specifically for your unique needs. Your trust in our brand drives our ongoing quest for excellence in the world of safety eyewear, and we are honored to be your partner in protecting the priceless vision of your customers.

**NEW styles
for 2025!**

OG H250, XC231 & XC232 featured on page 19



ONGUARD PIECE-OF-MIND WARRANTY

Dispense with Confidence.

All Hilco Vision Safety frames are guaranteed to be free from defects in material and workmanship for a period of two (2) years. Warranty period begins on the date of purchase by the patient.

Warranty Replacement:

- Prior to returning any product please call 1-800-955-6544 to obtain an RMA number from a Hilco Vision Customer Care representative.
- A replacement frame will be shipped immediately; at full net selling price.
- The warranty claim will be reviewed upon receipt of RMA* and classified as either:
 - **Manufacture Defect**, in which case a credit will be applied for the warranty replacement frame shipped previously, or
 - **Not Defective**, in which case no credit will be applied

*RMA must be received 3 months after issue

TABLE OF CONTENTS

OnGuard Collections 4-23

 OnGuard Made in the USA Collection 4-5

 OnGuard Wrap Collection 6-9

 OnGuard Titanium Collection..... 10-11

 OnGuard Elite Collection 12-13

 OnGuard Premium Collection 14-15

 OnGuard Value Collection 16-18

 OnGuard Basic Collection..... 19-22

 OnGuard Specialty Collection 23

OnGuard & A-2 Side Shield Reference Chart 24




A-2 Collection 25

Safety Eyewear Accessories..... 26

Express Rx Lab Program..... 27

CATALOG TERMS REFERENCE KEY









Side Shield Options

-  Permanent or detachable rivetless technology. Mounting from the inside, not compromising the look of the frame.
- EZ Shield™**  Side shield that can be used as a removable shield or locked into position for a permanent installation.
- Integrated*  Frame and side shield manufactured as a complete unit.

Frame Size Key



Key Features

-  **ADJUSTABLE TEMPLES** Adjustable Temples provide custom fit.
-  **REPLACEABLE NOSE BRIDGE** Replaceable Nose Bridge for extended product life.
-  **REPLACEABLE DUST DAM** Replaceable Dust Dam for extended product life.
-  **METAL FREE** Metal Free.
-  **V-PORT TECHNOLOGY** View-Port Technology for peripheral viewing and ventilation.
-  **TELESCOPIC TEMPLES** Temples extend for added comfort and fit.
-  **NON CONDUCTIVE** Plastic frames that contain shielded metal parts.
-  **T-GUARD** Patented T-Wire design for superior lens retention.
- Unifit Bridge** One piece bridge/nose piece distributes the safety frame weight evenly over the nose.



See our Safety Eyewear Accessories on page 26.

SAFETY FRAMES LIKE NEVER BEFORE...

COMFORT FIT TEMPLES

Soft TPU coating provides added grip & superior comfort.

NON-CONDUCTIVE

Contains no metal components.



Made In USA 5-Place Frame Case

Features the Made in USA collection.

5-Place Made in USA Case

PART NO: 1098795

MADE IN THE USA COLLECTION

- USA materials, molding & assembly
- Complete full seal option



US 110S MADE IN USA

ANSI Z87.1 | CSA Z94.3

Material: Thermoplastic Polyurethane



Black/Red



Black/Grey

| | | | | | | |
|------|----|------|------|----|-----|------------|
| SIZE | | | | | | |
| | 59 | 37.5 | 62.9 | 17 | 135 | Integrated |



Replacement full seal



(sold separately)

US 110FS FULL SEAL

Removable full seal



Black/Grey Full Seal



Black/Red Full Seal

US 120S MADE IN USA

ANSI Z87.1 | CSA Z94.3*

Material: Thermoplastic Polyurethane



Black/Blue



Black

| | | | | | | |
|------|----|------|------|----|-----|------------|
| SIZE | | | | | | |
| | 56 | 41.0 | 61.9 | 18 | 135 | Integrated |

*Note: Does not meet CSA Z94.3 without Full Seal.



Replacement full seal



(sold separately)

US 120FS FULL SEAL

Removable full seal



Black Full Seal



Black/Blue Full Seal



DESIGNED FOR TOUGH WORKING CONDITIONS.

Options with specially designed dust dams and full seals to suit nearly any industry.



6-Place OnGuard Safety Frame Display

Features the 6 top best sellers within the Wrap collection.

6-Place Safety Frame Display

PART NO: 1301451



Top 15 OnGuard Safety Frame Kit

Features the 15 top selling OnGuard frame styles.

Replacement Temple Strap

Fits: OG 210S, 220S/FS, 225S, 230S, 240S, 255S

Replacement Temple Strap

PART NO: 1072392



15-Place Safety Frame Kit

PART NO: 1081236

WRAP COLLECTION

- Designed to cover needs in environments ranging from every day wear to more extreme working conditions



OG 240S

ANSI Z87.1 | CSA Z94.3



Matte Black



Matte Gunmetal



Matte Camo



Matte Burgundy

Material: Nylon | Removable temple strap included
| Available with ANSI plano sun lenses (non-polarized)

| | | | | | | | |
|------|----------|----------|--------------|----------|------------|-------------|------------|
| SIZE | | | | | | SIDE SHIELD | Integrated |
| | 57 61 | 37 39 | 59.0 62.9 | 15 15 | 135 135 | | |



Removable full dust dam



(sold separately)



REMOVABLE FULL DUST DAM OPTION
(shown with demo lenses)

OG 210S

ANSI Z87.1 | CSA Z94.3



Black



Brown

Material: Thermoplastic Polyurethane (Forceflex®) |
Designed for better wear in more extreme environments

| | | | | | | |
|------|----|----|------|----|-----|------------|
| SIZE | 57 | 34 | 58.6 | 16 | 120 | Integrated |
|------|----|----|------|----|-----|------------|



OG 220S (DD WITH DUST DAM)

ANSI Z87.1 | CSA Z94.3 | EN166



Clear



Black



Brown



Pink/Grey



Purple/White



Green/Yellow

Material: Nylon | Specially designed to fit a range of sizes from petite women to men

| | | | | | | |
|------|----|----|------|----|-----|------------|
| SIZE | 55 | 34 | 57.3 | 15 | 130 | Integrated |
| | 58 | 36 | 60.0 | 15 | 135 | |



OG 220FS

ANSI Z87.1 | CSA Z94.3



Black

Material: Nylon | Replaceable full eye seal protects against dust and dirt in extreme conditions | Indirect venting improves airflow and reduces fogging | Removable strap included

| | | | | | | |
|------|----|----|------|----|-----|------------|
| SIZE | 58 | 36 | 60.4 | 15 | 135 | Integrated |
|------|----|----|------|----|-----|------------|



OG 225S

ANSI Z87.1 | CSA Z94.3 | EN166



Matte Navy/
Orange



Matte
Gunmetal/
Green



Silver/Navy



Matte Black/
Yellow



Material: Nylon | Removable temple strap included
| Additional close-fit bridge included

| SIZE | | | | | SIDE SHIELD | |
|------|----|------|----|-----|-------------|--|
| 55 | 34 | 57.3 | 15 | 130 | Integrated | |
| 57 | 36 | 60.0 | 16 | 135 | | |
| 61 | 39 | 63.3 | 17 | 135 | | |

Removable full dust dam



(sold separately)

OG 230S

ANSI Z87.1



Matte Navy



Matte Black



Shiny Red



Material: Nylon | 8-base frame includes a 6-base insert
| Comfort fit bridge

| SIZE | | | | | SIDE SHIELD | |
|------|----|------|----|---------|-------------|--|
| 55 | 32 | 56.9 | 22 | 118/135 | Integrated | |
| | | | | | | |
| | | | | | | |

2025 PHASE OUT

OG 255S

ANSI Z87.1 | CSA Z94.3



Clear



Material: Nylon | Telescopic temples for adjustable length

| SIZE | | | | | SIDE SHIELD | |
|------|----|------|----|---------|-------------|--|
| 59 | 39 | 62.2 | 15 | 130/139 | Integrated | |
| | | | | | | |
| | | | | | | |

TITANIUM COLLECTION

- Superior strength, slim profiles, light weight comfort
- Hypoallergenic material increases wearer compatibility
- Spring hinges or flex temples for long lasting adjustment and wear



OG 076

2025 PHASE OUT



ANSI Z87.1 | CSA Z94.3

Material: Titanium | Spring hinges | Nickel free



| SIZE | 51 | 36 | 54.9 | 19 | 140 | 141EZ - EZ Shield™ |
|------|----|----|------|----|-----|--------------------|
| | 53 | 38 | 56.4 | 19 | 140 | |

OG 099



ANSI Z87.1 | CSA Z94.3

Material: Titanium | Spring hinges | Nickel free



| SIZE | 53 | 34 | 55.1 | 19 | 140 | 169EZ - EZ Shield™ |
|------|----|----|------|----|-----|--------------------|
| | 55 | 36 | 57.1 | 19 | 140 | |

OG 110



ANSI Z87.1 | CSA Z94.3

Material: Titanium | Spring hinges | Nickel free



| SIZE | | | | | | | 180EZ - EZ Shield™ |
|------|----|------|----|-----|--|--|--------------------|
| 52 | 32 | 54.3 | 19 | 140 | | | |
| 54 | 33 | 56.4 | 19 | 140 | | | |

OG 140



ANSI Z87.1 | CSA Z94.3

Material: Titanium | Spring hinges | Nickel free



| SIZE | | | | | | | 213EZ - EZ Shield™ |
|------|----|------|----|-----|--|--|--------------------|
| 51 | 33 | 53.3 | 19 | 140 | | | |
| 53 | 34 | 55.6 | 19 | 145 | | | |

OG 709FT



ANSI Z87.1 | CSA Z94.3

Material: Flex Titanium | Nickel free



| SIZE | | | | | | | 165EZ - EZ Shield™ |
|------|----|------|----|-----|--|--|--------------------|
| 52 | 40 | 56.2 | 19 | 140 | | | |
| 54 | 42 | 58.7 | 19 | 145 | | | |

ELITE COLLECTION

- i-Shield® can be used as a removable or permanent shield and maintains the frame style integrity while ensuring safety
- Contemporary styles with metal and acetate combinations for both men and women



OG 613



ANSI Z87.1 | CSA Z94.3



2025 PHASE OUT

Material: Stainless Steel/Acetate | Spring hinges

| | | | | | | |
|------|----|------|----|-----|-------------|-------------|
| SIZE | | | | | | |
| 54 | 33 | 57.5 | 17 | 135 | SIDE SHIELD | SHIELD 613i |
| 57 | 33 | 60.2 | 17 | 145 | | |

OG 614



ANSI Z87.1 | CSA Z94.3



2025 PHASE OUT

Material: Stainless Steel | Spring hinges

| | | | | | | |
|------|----|------|----|-----|-------------|-------------|
| SIZE | | | | | | |
| 55 | 37 | 58.1 | 17 | 140 | SIDE SHIELD | SHIELD 614i |
| 58 | 37 | 60.5 | 18 | 140 | | |

OG 616



ANSI Z87.1 | CSA Z94.3



2025 PHASE OUT (54)

Material: Stainless Steel | Spring hinges

| | | | | | | |
|------|----|------|----|-----|-------------|-------------|
| SIZE | | | | | | |
| 54 | 38 | 57.2 | 18 | 135 | SIDE SHIELD | SHIELD 616i |
| 60 | 39 | 62.6 | 19 | 145 | | |

OG 619



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



Black



Tortoise

| SIZE | 52 | 36 | 54.9 | 17 | 135 | SIDE SHIELD | SHIELD 619i |
|------|----|----|------|----|-----|-------------|-------------|
| | 54 | 36 | 56.9 | 17 | 140 | | |

OG 620



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



Matte Brown



Matte Navy

| SIZE | 57 | 39 | 61.4 | 18 | 145 | SIDE SHIELD | SHIELD 620i |
|------|----|----|------|----|-----|-------------|-------------|
| | 59 | 39 | 63.2 | 18 | 145 | | |

OG 621



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



Black



Burgundy

| SIZE | 50 | 34 | 52.9 | 17 | 135 | SIDE SHIELD | SHIELD 621i |
|------|----|----|------|----|-----|-------------|-------------|
| | 52 | 34 | 54.6 | 17 | 135 | | |

PREMIUM COLLECTION

- Fashionable and sophisticated styles for both men and women
- All styles featuring spring hinges



OG 108

ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



| | | | | | | |
|------|----|----|------|----|-----|-------------------|
| SIZE | | | | | | |
| | 52 | 32 | 53.4 | 17 | 135 | 178SS - Removable |

OG 125



ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges



| | | | | | | |
|------|----|----|------|----|-----|--------------------|
| SIZE | | | | | | |
| | 53 | 34 | 55.3 | 17 | 140 | 196EZ - EZ Shield™ |
| | 55 | 34 | 57.8 | 17 | 140 | |

OG 138



ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges



2025 PHASE OUT



2025 PHASE OUT

| | | | | | | |
|------|----|----|------|----|-----|--------------------|
| SIZE | | | | | | |
| | 55 | 31 | 59.9 | 19 | 140 | 211EZ - EZ Shield™ |

OG 144



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



2025 PHASE OUT (54)

| | | | | | | | |
|------|----------|----------|--------------|----------|------------|-------------|--------------------|
| SIZE | | | | | | | 217EZ - EZ Shield™ |
| | 54 56 | 31 32 | 54.8 57.4 | 17 17 | 145 145 | SIDE SHIELD | |

OG 401 & 401A (UNIVERSAL FIT)



ANSI Z87.1 | CSA Z94.3

Material: Acetate | Spring hinges



| | | | | | | | |
|------|----|----|------|----|-----|-------------|--------------------|
| SIZE | | | | | | | 401EZ - EZ Shield™ |
| | 52 | 30 | 53.1 | 17 | 135 | SIDE SHIELD | |

OG 450



ANSI Z87.1 | CSA Z94.3*

Material: Stainless Steel | Spring hinges



| | | | | | | | |
|------|----------|----------|--------------|----------|------------|-------------|--------------------|
| SIZE | | | | | | | 450EZ - EZ Shield™ |
| | 51 53 | 31 33 | 52.6 54.9 | 18 18 | 140 145 | SIDE SHIELD | |

OG 451



ANSI Z87.1 | CSA Z94.3*

Material: Stainless Steel | Spring hinges



| | | | | | | | |
|------|----------|----------|--------------|----------|------------|-------------|--------------------|
| SIZE | | | | | | | 450EZ - EZ Shield™ |
| | 48 50 | 31 33 | 49.7 51.8 | 18 18 | 135 140 | SIDE SHIELD | |

OG 508



ANSI Z87.1 | CSA Z94.3

Material: Stainless Steel | Spring hinges



2025 PHASE OUT (55/57)

| | | | | | | | |
|------|----------------|----------------|----------------------|----------------|-------------------|-------------|--------------------|
| SIZE | | | | | | | 508EZ - EZ Shield™ |
| | 55 57 59 | 34 35 36 | 57.1 59.2 61.3 | 18 18 18 | 130 130 130 | SIDE SHIELD | |

VALUE COLLECTION

- Our broadest range of sizes and styles
- Frames for both men and women



OG C213



ANSI Z87.1 | CSA Z94.3

Material: Stainless Steel/Acetate | Spring hinges



Black
Gunmetal



Tortoise
Gold

| | | | | | | |
|------|----|------|------|----|-----|---------------------|
| SIZE | | | | | | C213EZ - EZ Shield™ |
| | 51 | 43.8 | 56.3 | 21 | 140 | |

OG C214



ANSI Z87.1 | CSA Z94.3

Material: Stainless Steel/Acetate | Spring hinges



Tortoise
Gold



Black
Black

| | | | | | | |
|------|----|------|------|----|-----|---------------------|
| SIZE | | | | | | C214EZ - EZ Shield™ |
| | 52 | 38.5 | 56.5 | 18 | 140 | |

OG 019

 ANSI Z87.1 | CSA Z94.3








Gold



Gunmetal

Material: Monel | Spring hinges | Unifit bridge

| | | | | | | | |
|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|--------------------|
| SIZE |  |  |  |  |  | SIDE SHIELD | 109EZ - EZ Shield™ |
| | 54 | 47 | 62.3 | 16 | 140 | | |
| | 56 | 49 | 65.3 | 16 | 140 | | |

OG 021

 ANSI Z87.1 | CSA Z94.3








Black



Tortoise/Navy

Material: Acetate | Spring hinges

| | | | | | | | |
|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|--------------------|
| SIZE |  |  |  |  |  | SIDE SHIELD | 021EZ - EZ Shield™ |
| | 53 | 35 | 55.8 | 18 | 140 | | |

OG 086

 ANSI Z87.1 | CSA Z94.3








Black Chrome



Chocolate Chrome

Material: Monel | Spring hinges

| | | | | | | | |
|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------|--------------------|
| SIZE |  |  |  |  |  | SIDE SHIELD | 151EZ - EZ Shield™ |
| | 51 | 35 | 52.6 | 19 | 140 | | |
| | 53 | 37 | 54.7 | 19 | 140 | | |
| | 55 | 38 | 57.2 | 19 | 145 | | |

OG 090

 ANSI Z87.1 | CSA Z94.3








Antique Bronze



Antique Pewter

Material: Monel | Spring hinges

| | | | | | | | |
|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------|--------------------|
| SIZE |  |  |  |  |  | SIDE SHIELD | 161EZ - EZ Shield™ |
| | 50 | 35 | 52.8 | 20 | 140 | | |
| | 52 | 37 | 54.8 | 20 | 140 | | |
| | 54 | 38 | 57.3 | 20 | 145 | | |






OG 101

 ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges



2025 PHASE OUT






| | | | | | | | |
|------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|--------------------|
| SIZE |  |  |  |  |  | SIDE SHIELD | 163EZ - EZ Shield™ |
| | 48 | 33 | 48.9 | 21 | 135 | | |
| | 50 | 34 | 50.6 | 21 | 135 | | |

OG 102

 ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges








| | | | | | | | |
|------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|--------------------|
| SIZE |  |  |  |  |  | SIDE SHIELD | 165EZ - EZ Shield™ |
| | 52 | 41 | 56.7 | 17 | 140 | | |
| | 54 | 42 | 58.4 | 17 | 140 | | |
| | 56 | 44 | 60.7 | 17 | 140 | | |
| | 58 | 45 | 63.4 | 17 | 140 | | |

OG 103

 ANSI Z87.1 | CSA Z94.3

Material: Monel | Spring hinges








| | | | | | | | |
|------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------|--------------------|
| SIZE |  |  |  |  |  | SIDE SHIELD | 182EZ - EZ Shield™ |
| | 55 | 34 | 56.5 | 21 | 145 | | |

OG 112

 ANSI Z87.1 | CSA Z94.3

Material: Stainless Steel



| | | | | | | | |
|------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------|--------------------|
| SIZE |  |  |  |  |  | SIDE SHIELD | 182EZ - EZ Shield™ |
| | 51 | 35 | 54.5 | 17 | 140 | | |
| | 53 | 36 | 56.5 | 17 | 140 | | |

BASIC COLLECTION

- Popular styles for the cost conscious buyer
- Comprehensive size ranges are offered for a wide variety of fit requirements
- Both plastic and metal styles



OG H250 NEW

ANSI Z87.1 | CSA Z94.3



Gray



Blue

Material: Polycarbonate/Thermoplastic Polyurethane
| Lightweight | Built-in side shields | Non-Conductive



OG XC231 NEW




ANSI Z87.1 | CSA Z94.3



Gray

Material: Acetate | Spring Hinges | XL size



OG XC232 NEW



ANSI Z87.1 | CSA Z94.3



Brown

Material: Acetate | Spring Hinges | XL size



OG C211



ANSI Z87.1 | CSA Z94.3

Material: Stainless Steel



| | | | | | | | |
|------|----|------|----|----|-----|-------------|---------------------|
| SIZE | | | | | | SIDE SHIELD | |
| | 56 | 48.5 | 63 | 15 | 140 | | C211EZ - EZ Shield™ |

OG C212



ANSI Z87.1 | CSA Z94.3

Material: Acetate



| | | | | | | | |
|------|----|------|------|----|-----|-------------|---------------------|
| SIZE | | | | | | SIDE SHIELD | |
| | 51 | 41.6 | 55.7 | 17 | 140 | | C212EZ - EZ Shield™ |

OG F214



ANSI Z87.1 | CSA Z94.3

Material: Acetate



| | | | | | | | |
|------|----|------|------|----|-----|-------------|---------------------|
| SIZE | | | | | | SIDE SHIELD | |
| | 55 | 39.9 | 58.3 | 17 | 140 | | F214EZ - EZ Shield™ |

OG F217



ANSI Z87.1 | CSA Z94.3

Material: Acetate



| | | | | | | | |
|------|----|------|------|----|-----|-------------|---------------------|
| SIZE | | | | | | SIDE SHIELD | |
| | 50 | 38.9 | 55.2 | 18 | 135 | | F217EZ - EZ Shield™ |

OG 013



ANSI Z87.1 | CSA Z94.3

Material: Acetate



| | | | | | | | |
|------|----|----|------|----|-----|--|--------------------|
| SIZE | | | | | | | 013EZ - EZ Shield™ |
| | 49 | 36 | 50.8 | 19 | 145 | | |

OG 014



ANSI Z87.1 | CSA Z94.3

Material: Acetate



| | | | | | | | |
|------|----|----|------|----|-----|--|--------------------|
| SIZE | | | | | | | 014EZ - EZ Shield™ |
| | 50 | 32 | 51.9 | 16 | 145 | | |

OG 015



ANSI Z87.1 | CSA Z94.3

Material: Acetate



| | | | | | | | |
|------|----|----|------|----|-----|--|--------------------|
| SIZE | | | | | | | 015EZ - EZ Shield™ |
| | 52 | 34 | 54.5 | 17 | 140 | | |

OG 070



ANSI Z87.1 | CSA Z94.3

Material: Nickel Silver



2025 PHASE OUT (50)

| | | | | | | | |
|------|----|----|------|----|-----|--|--------------------|
| SIZE | | | | | | | 204EZ - EZ Shield™ |
| | 50 | 33 | 53.3 | 16 | 140 | | |
| | 52 | 35 | 55.3 | 16 | 140 | | |
| | 54 | 36 | 57.4 | 16 | 140 | | |
| | 56 | 37 | 59.5 | 16 | 145 | | |

OG 071



ANSI Z87.1 | CSA Z94.3

Material: Nickel Silver



| | | | | | | | |
|------|----|----|------|----|-----|--|--------------------|
| SIZE | | | | | | | 205EZ - EZ Shield™ |
| | 52 | 39 | 56.7 | 18 | 140 | | |
| | 54 | 40 | 58.6 | 18 | 140 | | |
| | 56 | 42 | 61.2 | 18 | 140 | | |

OG 085



ANSI Z87.1 | CSA Z94.3

Material: Monel



| SIZE | □ | □ | □ | ⌒ | ⌒ | SIDE SHIELD |
|------|----|------|----|-----|--------------------|-------------|
| 50 | 34 | 50.6 | 19 | 140 | 150EZ - EZ Shield™ | |
| 52 | 35 | 52.7 | 19 | 140 | | |
| 54 | 38 | 54.7 | 19 | 145 | | |

OG 091



ANSI Z87.1 | CSA Z94.3

Material: Monel | Unifit bridge



| SIZE | □ | □ | □ | ⌒ | ⌒ | SIDE SHIELD |
|------|----|------|----|-----|--------------------|-------------|
| 50 | 34 | 50.6 | 19 | 140 | 150EZ - EZ Shield™ | |
| 52 | 36 | 52.6 | 19 | 140 | | |
| 54 | 37 | 54.4 | 19 | 145 | | |

OG 093



ANSI Z87.1 | CSA Z94.3

Material: Monel



| SIZE | □ | □ | □ | ⌒ | ⌒ | SIDE SHIELD |
|------|----|------|----|-----|--------------------|-------------|
| 48 | 33 | 49.0 | 21 | 135 | 163EZ - EZ Shield™ | |
| 50 | 34 | 51.1 | 21 | 135 | | |

OG 095



ANSI Z87.1 | CSA Z94.3

Material: Monel



| SIZE | □ | □ | □ | ⌒ | ⌒ | SIDE SHIELD |
|------|----|------|----|-----|--------------------|-------------|
| 52 | 41 | 56.7 | 17 | 140 | 165EZ - EZ Shield™ | |
| 54 | 42 | 58.7 | 17 | 140 | | |
| 56 | 44 | 60.7 | 17 | 140 | | |

OG 160S

ANSI Z87.1 | CSA Z94.3

Material: Nylon



| SIZE | □ | □ | □ | ⌒ | ⌒ | SIDE SHIELD |
|------|----|------|----|-----|------------|-------------|
| 60 | 38 | 62.9 | 15 | 131 | Integrated | |

SPECIALTY COLLECTION



OG 078

ANSI Z87.1 | CSA Z94.3

Material: Propionate | Wire mesh integrated side shields



| SIZE | 52 | 37 | 54.7 | 18 | 145 | EDGE SHIELD | Attached Wire Mesh Side Shields |
|------|----|----|------|----|-----|-------------|---------------------------------|
| | 54 | 38 | 56.2 | 20 | 145 | | |

OG 800

ANSI Z87.1* | CSA Z94.3

Material: Polycarbonate/Thermoplastic Rubber (TPR)



| Rx Carrier | SIZE | 48 | 41 | 53.7 | 17 | - |
|------------|------|----|----|------|----|---|
| | | | | | | |

*ANSI Z87.1 (Droplets, Splash (D3) and Dust (D4))

SIDE SHIELD REFERENCE CHARTS



ONGUARD SIDE SHIELD REFERENCE CHART

EZ=EZ Shield

IS=iShield®

| OG Style Number | Side Shield | OG Style Number | Side Shield |
|-----------------|-------------|-----------------|-------------|
| OG 013 | 013EZ | OG 140T | 213EZ |
| OG 014 | 014EZ | OG 144 | 217EZ |
| OG 015 | 015EZ | OG 401/A | 401EZ |
| OG 019 | 109EZ | OG 450 | 450EZ |
| OG 021 | 021EZ | OG 451 | 450EZ |
| OG 070 | 204EZ | OG 508 | 508EZ |
| OG 071 | 205EZ | OG 613 | 613IS |
| OG 076T | 141EZ | OG 614 | 614IS |
| OG 085 | 150EZ | OG 616 | 616IS |
| OG 086 | 151EZ | OG 619 | 619IS |
| OG 090 | 161EZ | OG 620 | 620IS |
| OG 091 | 150EZ | OG 621 | 621IS |
| OG 093 | 163EZ | OG 702T | 702EZ |
| OG 095 | 165EZ | OG 709FT | 165EZ |
| OG 099T | 169EZ | OG C211 | C211EZ |
| OG 101 | 163EZ | OG C212 | C212EZ |
| OG 102 | 165EZ | OG C213 | C213EZ |
| OG 103 | 182EZ | OG C214 | C214EZ |
| OG 108 | 178SS | OG F214 | F214EZ |
| OG 110T | 180EZ | OG F217 | F217EZ |
| OG 112 | 182EZ | OG XC231 | XC231EZ |
| OG 125 | 196EZ | OG XC232 | XC232EZ |
| OG138 | 211EZ | | |

A-2 SIDE SHIELD REFERENCE CHART

EZ=EZ Shield

| SG Style Number | Side Shield |
|-----------------|-------------|
| SG 103 | SG 3 EZ |
| SG 104 | SG 3 EZ |
| SG 106 | SG 6 EZ |
| SG 602 FT | SG 14 EZ |



A-2[®] COLLECTION

A-2[®] frames feature the patented SprinGuard™ lens retention system which secures lenses efficiently with less frame mass. A-2 eyewear is thinner and lighter yet still meets ANSI and CSA safety standards.



SG 602FT A-2 2025 PHASE OUT ANSI Z87.1

Material: Titanium



| SIZE | 49 | 29.9 | 50.8 | 19 | 130 | SG 14 - EZ Shield™ |
|------|----|------|------|----|-----|--------------------|
| | 52 | 31.9 | 53.7 | 19 | 135 | |

SG 103 A-2 2025 PHASE OUT ANSI Z87.1 | CSA Z94.3 | EN166

Material: Monel | Spring hinges



| SIZE | 56 | 40.0 | 59.4 | 18 | 145 | SG 3 - EZ Shield™ |
|------|----|------|------|----|-----|-------------------|
| | 58 | 41.8 | 61.8 | 18 | 145 | |

SG 104 A-2 2025 PHASE OUT ANSI Z87.1 | CSA Z94.3 | EN166

Material: Monel | Spring hinges



| SIZE | 53 | 37.0 | 56.6 | 18 | 140 | SG 3 - EZ Shield™ |
|------|----|------|------|----|-----|-------------------|
| | 55 | 38.8 | 58.0 | 18 | 145 | |

SG 106 A-2 2025 PHASE OUT ANSI Z87.1 | CSA Z94.3 | EN166

Material: Monel | Spring hinges



| SIZE | 52 | 34.2 | 54.4 | 19 | 140 | SG 6 - EZ Shield™ |
|------|----|------|------|----|-----|-------------------|
| | 54 | 36.0 | 56.5 | 19 | 145 | |

SAFETY EYEWEAR ACCESSORIES...

the complete safety eyewear solution



OptiPlus Anti-Fog Wipes

CNN Underscored's #1 Anti-Fog Wipes!

- Safe on all lenses, works with AR coated and polarized lenses
- A convenient single towelette applications that's a combination lens cleaner and anti-fog treatment all in one!
- Wide range of uses including eyewear and electronics

30 Count **60 Count**
PART NO: 1097472 **PART NO: 1097473**

100 Count
PART NO: 1097474

OptiPlus Anti-Fog Wipes Dispensing Program

Help your patients enhance their frame selection journey by offering OptiPlus+ Anti-Fog wipes

30 Count Program **60 Count Program** **100 Count Program**
PART NO: 1100067 **PART NO: 1100069** **PART NO: 1100070**



Eyewear Cases

Safety cases designed to hold the largest safety frames... with side shields!



Soft case with clip and flap (XL)
PART NO: 1062902

Semi-soft case with velcro closure (XL)
PART NO: 1062900

Soft case horizontal with belt loop (L)
PART NO: 1062904

Hard case, nylon cover with zipper and snap hook (XL)
PART NO: 1062905

Hard shell case (XL) plastic
PART NO: 1062913

Safety belt loop case
PART NO: 1080088

Safety slip-in case
PART NO: 1080087

Call for additional safety eyewear accessory products and ordering information!

Express Rx

LAB PROGRAM

THE HILCO VISION EXPRESS RX LAB PROGRAM

Introducing the Hilco Vision Express Rx Lab Program – a cutting-edge solution tailored for optical professionals seeking a swift and dependable partner in Rx Safety dispensing. In collaboration with VisionWeb, an advanced online ordering portal, Hilco Vision brings you a streamlined process that eliminates the hassles of traditional order forms, faxing, and scanning. Experience quicker delivery and effortless online tracking, allowing you to prioritize patient care while we ensure a seamless Rx Safety fulfillment experience for your practice.



Streamlined Ordering

You take control of entering your order into the VisionWeb portal.

No more cumbersome manual completion of order forms, faxing or scanning.

Easy order tracking on-line!



Faster Delivery

Manufacturing process begins the moment you enter your order into the VisionWeb portal!

View online UPS tracking capabilities too!

No delays, faster delivery time...patients receive their orders about 30% faster!



Accelerated Practice Growth

Have more time to spend with your patients, less time placing orders.

Streamlined process, greater efficiencies... more profits!

Express Rx Program available for the following categories.



At the beach, on the court or in the workplace, we have you covered.



ONGUARD™

INDUSTRIAL SAFETY Rx EYEWEAR

FEBRUARY 2025

HILCO VISION USA
575 West Street, Mansfield, MA USA 02048
Tel: (800) 955-6544 Fax: (508) 699-4579
www.hilcovision.com